Attorney Docket No. LKMP:112US

U.S. Patent Application No. 10/613,172

Reply to Office Action of March 24, 2005

Amendment and Request for Reconsideration dated: May 3, 2005

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

What Is Claimed Is:

1. (currently amended) An apparatus for varying the dimensions of a vessel hull comprising:

an arcuate truss assembly having a plurality of members pivotally joined, said assembly operatively arranged to form a portion of said vessel hull, said truss assembly operatively arranged to extend and retract to vary the dimensions of said hull when said plurality of members are pivoted with respect to one another, said members pivoting in a plane substantially coplanar with said portion of said vessel hull; and,

a means for extending and retracting said truss assembly.

- 2. (original) The apparatus recited in Claim 1 further comprising pneumatic means operatively arranged to extend and retract said assembly.
- 3. (original) The apparatus recited in Claim 1 further comprising hydraulic means operatively arranged to extend and retract said assembly.
- 4. (original) The apparatus recited in Claim 1 further comprising microelectromechanical systems (MEMS) means operatively arranged to extend and retract said assembly.
- 5. (original) The apparatus recited in Claim 1 further comprising a flexible membrane, said membrane connected to said hull around the periphery of said membrane, said membrane operatively arranged to cover said assembly, said membrane operatively arranged to extend and retract as said assembly extends and retracts.

6

Attorney Docket No. LKMP:112US

U.S. Patent Application No. 10/613,172

Reply to Office Action of March 24, 2005

Amendment and Request for Reconsideration dated: May 3, 2005

6. (original) The apparatus recited in Claim 5 wherein said membrane

comprises urethane.

7. (original) The apparatus recited in Claim 5 wherein said membrane is

connected to said hull with a watertight seal.

8. (previously presented) The apparatus recited in Claim 5 wherein said membrane is

operatively arranged to retract in a diaphragm shutter like fashion when said assembly is

retracted.

9. (original) The apparatus recited in Claim 1 further comprising a plurality of

plates, said plates operatively arranged to cover said assembly when said assembly is

substantially fully extended.

10. (previously presented) The apparatus recited in Claim 9 wherein said plates form a

watertight seal with said hull when said assembly is substantially fully extended.

11. (previously presented) The apparatus recited in Claim 1 wherein said assembly is

operatively arranged to extend and retract in a diaphragm shutter like fashion.

12. (original) The apparatus recited in Claim 1 wherein said vessel is a

waterborne vessel.

13. (original) The apparatus recited in Claim 1 wherein said vessel is a

submersible vessel.

14. (withdrawn) The apparatus recited in Claim 1 wherein said vessel is an airship.

7

Attorney Docket No. LKMP:112US U.S. Patent Application No. 10/613,172 Reply to Office Action of March 24, 2005

Amendment and Request for Reconsideration dated: May 3, 2005

15. (previously presented) A vessel comprising:

a hull;

an arcuate truss assembly having a plurality of members pivotally joined, said truss assembly operatively arranged to form a portion of said hull, said truss assembly operatively arranged to extend and retract to vary the dimensions of said hull when said plurality of members are pivoted with respect to one another, said members pivoting in a plane substantially coplanar with said portion of said vessel hull.

- 16. (original) The vessel recited in Claim 15 further comprising pneumatic means operatively arranged to extend and retract said assembly.
- 17. (original) The vessel recited in Claim 15 further comprising hydraulic means operatively arranged to extend and retract said assembly.
- 18. (original) The vessel recited in Claim 15 further comprising microelectromechanical systems (MEMS) means operatively arranged to extend and retract said assembly.
- 19. (original) The vessel recited in Claim 15 further comprising a flexible membrane, said membrane connected to said hull around the periphery of said membrane, said membrane operatively arranged to cover said assembly, said membrane operatively arranged to extend and retract as said assembly extends and retracts.
- 20. (original) The vessel recited in Claim 19 wherein said membrane comprises urethane.
- 21. (original) The vessel recited in Claim 19 wherein said membrane is connected to said hull with a watertight seal.

Attorney Docket No. LKMP:112US

U.S. Patent Application No. 10/613,172

Reply to Office Action of March 24, 2005

Amendment and Request for Reconsideration dated: May 3, 2005

22. (previously presented) The apparatus recited in Claim 19 wherein said membrane is

operatively arranged to retract in a diaphragm shutter like fashion when said assembly is

retracted.

23. (original) The vessel recited in Claim 15 further comprising a plurality of

plates, said plates operatively arranged to cover said assembly when said assembly is

substantially fully extended.

24. (currently amended) The vessel recited in Claim 23 wherein said plates form for a

watertight seal with said hull when said assembly is substantially fully extended.

25. (previously presented) The apparatus recited in Claim 15 wherein said assembly is

operatively arranged to extend and retract in a diaphragm shutter like fashion.

26. (original) The apparatus recited in Claim 15 wherein said vessel is a

waterborne vessel.

27. (original) The apparatus recited in Claim 15 wherein said vessel is a

submersible vessel.

28. (withdrawn) The apparatus recited in Claim 15 wherein said vessel is an airship.

9